

DEGREE OF ADHESION IN A RAT LIVER ABRASION MODEL.(7-21 DAYS).




FIG.1

DEGREE OF ADHESION IN A RAT LIVER ABRASION MODEL (7-21 DAYS)




FIG.2

DEGREE OF ADHESION IN A RAT LIVER ABRASION MODEL (7-21 DAYS)




FIG.3

DEGREE OF ADHESION IN A RAT LIVER ABRASION MODEL (7-21 DAYS)





FIG.4



POSTSURGICAL ADHESION PREVENTION: % ANIMALS WITH ADHESIONS = 2\* IN RAT LIVER  
 ABRASION MODEL (14 DAYS)




FIG.6

DEGREE OF ADHESION IN RAT PERITONEAL MODEL LESION (14 DAYS)




FIG.7

POSTSURGICAL ADHESIONS PREVENTION: % ANIMALS WITH ADHESIONS > 2\* IN RAT  
PERTONEAL MODEL LESION (14 DAYS)




FIG.8



POSTSURGICAL ADHESION PREVENTION: DEGREE OF ADHESION IN A RAT  
LIVER ABRASION MODEL (14 DAYS)




FIG.9

POSTSURGICAL ADHESION PREVENTION: DEGREE OF ADHESION IN A RAT  
 INTESTINAL INJURY MODEL (14 DAYS)




FIG.10




FIG.11




FIG.12

DEGREE OF ADHESION IN A RABBIT ABDOMINAL WALL LESION MODEL




FIG.13




FIG.14




FIG.15




FIG.16






FIG.17




FIG.18




FIG.19




FIG.20




FIG.21




FIG.22




FIG.23




FIG.24






FIG.25




FIG.26